



**DETANGLER – LEAVE IN CONDITIONER  
ETB6623**

<b>INGREDIENTS</b>	<b>INCI NAME</b>	
Water	Water	94.0%
Gloquat BQ	Behentrimonium Methosulfate (and) Cetearyl Alcohol	1.0%
Dow Corning 345 Fluid	Cyclopentasiloxane (and) Cyclohexasiloxane	<u>5.0%</u>
		100.0%

**PROCEDURE**

- 1) Begin heating the water to 80-85C.
- 2) In a separate vessel combine the Gloquat BQ with the silicone and heat to the same temperature.
- 3) With rapid mixing add step 2 to step 1 and maintain at 80-85C for 5-10 minutes.
- 4) Reduce mixing speed and cool to room temperature.

Global Seven, Inc. believes the information contained in this literature to be reliable, but it is only representative information. No warranty is given or implied as to accuracy, suitability for particular applications or the results to be obtained. This is not a commercialized product and has not been the subject of extensive testing for efficacy, stability, performance or safety. No recommendation should be construed as inducement to infringe patents.