

MELTING CRYSTAL CLEANSER ETB40915

INGREDIENTS	INCI NAME	
Water	Water	46.8%
Rhodadex EA-2	Ammonium Laureth Sulfate	40.0%
Mirataine BET-C 30	Cocamidopropyl Betaine	8.0%
Hest HVB	PEG-175 Diisostearate	5.0%
Mackstat DMDM	DMDM Hydantoin	0.2%
		100.0%

PROCEDURE

- 1) With adequate mixing, combine the water and Rhodapex EA-2.
- 2) Add the Mirataine BET-C 30 and begin heating to 80C.
- 3) Add the Hest HVB and maintain at 80C for ten minutes.
- 4) Reduce mixing speed and begin cooling to room temperature.
- 5) Add the Mackstat DMDM at 40-45C and continue cooling.

Global Seven, Inc. believes the information contained in this literature to be reliable, but it is only representative information. No warranty is given or implied as to accuracy, suitability for particular applications or the results to be obtained. This is not a commercialized product and has not been the subject of extensive testing for efficacy, stability, performance or safety. No recommendation should be construed as inducement to infringe patents.