



**METALIC GOLD RINGING CONDITIONER
MINERAL OIL FREE
ETB4918**

INGREDIENTS	INCI NAME	
Water	Water	54.7%
Glycerin	Glycerin	10.0%
Incroquat Behenyl HE	Hydroxyethyl Behenamidopropyl Dimonium Chloride	1.0%
Silkflo 366NF	Hydrogenated Polydecene	12.0%
Flonac MG 30C	Mica & Titanium Dioxide & Iron Oxide	0.1%
Hetoxol IS-2	Isosteareth-2	4.4%
Hetoxol I-20-20	Octyldodeceth-20	17.6%
Mackstat DM	DMDM Hydantoin	<u>0.2%</u>
		100.0%

PROCEDURE

- 1) Combine the water, Glycerin and Incroquat Behenyl HE and heat to 80C.
- 2) In a separate vessel combine the Hetoxol I-20-20, Hetoxol OL-2 and Silkflo 366NF and heat to the same temperature.
- 3) With adequate mixing add step 2 to step 1 and maintain at 80C for 5 minutes.
- 4) Reduce mixing speed and begin cooling to 40C, add Flonac MG 30C and Mackstat DM and continue cooling to room temperature

Global Seven, Inc. believe the information contained in this literature to be reliable, but it is only representative information. No warranty is given or implied as to accuracy, suitability for particular applications or the results to be obtained. This is not a commercialized product and has not been the subject of extensive testing for efficacy, stability, performance or safety. No recommendation should be construed as inducement to infringe patents.