



**RINGING GEL  
ETB31030**

<b>INGREDIENTS</b>	<b>INCI NAME</b>	
Water	Water	53.3%
Fixative G-100 Polymer	AMP-Acrylates/Allyl Methacrylate Copolymer	2.5%
Glycerin	Glycerin	10.0%
Drakeol 10 light	Mineral oil	12.0%
Hetoxol IS-2	Isosteareth-2	4.4%
Hetoxol I-20-20	Octyldodeceth-20	17.6%
Mackstat DM	DMDM Hydantoin	<u>0.2%</u>
		100.0%

**PROCEDURE**

- 1) Combine the water, Fixative G-100 Polymer and Glycerin and heat to 80C.
- 2) In a separate vessel combine the Mineral Oil, Hetoxol IS-2 and Hetoxol I-20-20 and heat to the same temperature.
- 3) With adequate mixing add step 2 to step 1 and maintain at 80C for 5-10 minutes.
- 4) Reduce mixing speed and begin cooling to room temperature.
- 5) Add the Mackastat DM between 50-50C and continue cooling.