



**RINGING GEL – MATTE FINISH
ETB31103**

INGREDIENTS	INCI NAME	
Water	Water	48.3%
Fixative G-100 Polymer	AMP-Acrylates/Allyl Methacrylate Copolymer	2.5%
Glycerin	Glycerin	10.0%
Drakeol 10 light	Mineral oil	12.0%
Hetoxol IS-2	Isosteareth-2	4.4%
Hetoxol I-20-20	Octyldodeceth-20	17.6%
9040 Silicone Elastomer	Cyclomethicone (and) Dimethicone Crosspolymer	5.0%
Mackstat DM	DMDM Hydantoin	<u>0.2%</u>
		100.0%

PROCEDURE

- 1) Combine the water, Glycerin and Fixative G-100 polymer and heat to 80C.
- 2) In a separate vessel combine the Mineral Oil, Hetoxol IS-2 and Hetoxol I-20-20 and heat to the same temperature.
- 3) With adequate mixing add step 2 to step 1 and maintain at 80C for 5 minutes.
- 4) Reduce mixing speed and begin cooling to room temperature.
- 5) Add the Mackastat DM and 9040 Silicone Elastomer at 50-50C and continue cooling.

Global Seven, Inc. believes the information contained in this literature to be reliable, but it is only representative information. No warranty is given or implied as to accuracy, suitability for particular applications or the results to be obtained. This is not a commercialized product and has not been the subject of extensive testing for efficacy, stability, performance or safety. No recommendation should be construed as inducement to infringe patents.