



**SOLID CYCLOMETHICONE
ETB5715**

INGREDIENTS	INCI NAME	
Dow Corning DC 246	Cyclomethicone	71.9%
Global 4075	Glyceryl Isostearate (and) Caprylic/Capric Glycerides	23.4%
Water	Water	1.6%
Sodium Stearate	Sodium Stearate	<u>3.1%</u>
		100.0%

PROCEDURE

- 1) Combine the Global 4075 and Sodium Stearate, and Water mix well and heat to 80C with mixing till homogeneous.
- 2) In a separate vessel heat the Cyclomethicone to the same temperature.
- 3) Add step 1 to step 2 and mix.
- 4) Cool to room temperature.

Global Seven, Inc. believes the information contained in this literature to be reliable, but it is only representative information. No warranty is given or implied as to accuracy, suitability for particular applications or the results to be obtained. This is not a commercialized product and has not been the subject of extensive testing for efficacy, stability, performance or safety. No recommendation should be construed as inducement to infringe patents.